

# Template for English manuscript Submitted to the ASEAN J Rehabil Med

---

## Title page

### Title of the article using “Arial narrow” size “14” and “bold”

First Author<sup>1</sup>, Second Author<sup>2</sup> and Third Author<sup>1,2,\*</sup>

<sup>1</sup> First affiliation, Address, City and Postcode, Country

<sup>2</sup> Second affiliation, Address, City and Postcode, Country

\*Correspondent author: email address

---

## Abstract page

### Abstract

**Objective:**

**Study design:**

**Setting:**

**Subjects:**

**Method:**

**Results:**

**Conclusion:**

**Keywords:** keyword, keyword, keyword, keyword, keyword

Remarks:

- Use Arial size “10”, not bold
  - Overall word count not more than 300 words
  - 3-5 keywords using MeSH terms
  - Use mean (SD) instead of mean +/- SD
- 

## Main page

### Introduction using “Arial narrow, size 12, bold”

Use Arial narrow size 10, not bold

State objective or aim of the study as the last paragraph of this section

Format of the reference number in the article, use <sup>(1)</sup> for the first text reference, <sup>(2-3)</sup> for the following two text references, and <sup>(1-3,5)</sup> for many text reference numbers.

Type the reference number at the end of a phrase or a sentence.

### Materials and methods

Use Arial narrow size 10, not bold

### Participants

#### Inclusion criteria

- aaa
- bbb
- ccc

#### Exclusion criteria

- ddd
- eee

### Methods

- 1)
- 2)
- 3)

Show a flow of the study, if necessary

### Materials

- fff
- ggg

### Statistical analysis

## Results

Use Arial narrow size 10, not bold

Add Tables and Figures not more than 6 totally in the text where appropriate

Use Table (see examples)

Use drawing pictures (see example)

**Table 1.** Demographic data of all 200 participants

Age <sup>1</sup>		43.6 (5.2)
Sex <sup>2</sup>	Male	140 (70)
	Female	60 (30)
Level of paralysis	Tetraplegia	120 (60)
	Paraplegia	80 (40)
Severity	AIS-A and AIS-B	100 (50)
	AIS C and AIS D	100 (50)

<sup>1</sup> Mean (SD), <sup>2</sup> number (%)


AIS, American Spinal Injuries Association impairment scale

**Table 2.** Comparison between admission and discharge SCIM score

	SCIM score		<i>p-value</i>
	Admission	Discharge	
Tetraplegia			
Paraplegia			

Mean (SD)

SCIM, spinal cord independence measure



**Figure 1.** Common sites of pressure ulcers  
(with permission from Kovindha A. Textbook of spinal cord injury: comprehensive rehabilitation. Vol. 2)

### **Discussion**

Use Arial narrow size 10, not bold  
Conclusion as a last paragraph

### **Declaration conflict of interest**

Use Arial narrow size 10, not bold

### **Acknowledge**

Use Arial narrow size 10, not bold

### **References**

Use Arial narrow size 9, not bold  
Use Vancouver's style  
Not more than 30 relevant references

---

### **Letter to Editor**

Date

To Editor:

Re: Title of the manuscript

State the importance of the manuscript.

Propose one or two names and e-mail address of whom is(are) suitable to review your manuscript. They should be from different institute from yours.

Declare that your manuscript has not been submitted or published elsewhere.

Name of corresponding author